



Updated: June 2020 Original: August 2019

# TABLE OF CONTENTS

INTRODUCTION	3
PATIENT CARE	5
Accesses Data Sources to Synthesize Patient and Disease Specific Information Diagnoses and Assigns Stage and Severity of Oncology Disorders Formulates the Management Plan Adjusts Management Plans for Acute and Chronic Issues Competence in Procedures: Performance of Bone Marrow Aspirations and Biopsies	5 7 9 10 11
MEDICAL KNOWLEDGE	13
Malignant Hematology Solid Tumor Oncology Scholarly Activity	13 14 15
SYSTEMS-BASED PRACTICE	16
Patient Safety Quality Improvement System Navigation for Patient-Centered Care: Coordination and Transitions of Care System Navigation for Patient-Centered Care: Population Health Physician Role in Health Care Systems	16 18 19 21 22
PRACTICE-BASED LEARNING AND IMPROVEMENT	24
Evidence-Based and Informed Practice Reflective Practice and Commitment to Personal Growth	24 25
PROFESSIONALISM	27
Professional Behavior and Ethical Principles Accountability/Conscientiousness Fellow Well-Being	27 29 30
INTERPERSONAL AND COMMUNICATION SKILLS	31
Patient- and Family-Centered Communication Interprofessional and Team Communication Communication within Health Care Systems	31 33 35
MAPPING OF 1.0 TO 2.0	37

## **Milestones Supplemental Guide**

This document provides additional guidance and examples for the Medical Oncology Milestones. This is not designed to indicate any specific requirements for each level, but to provide insight into the thinking of the Milestone Work Group.

Included in this document is the intent of each Milestone and examples of what a Clinical Competency Committee (CCC) might expect to be observed/assessed at each level. Also included are suggested assessment models and tools for each subcompetency, references, and other useful information.

Review this guide with the CCC and faculty members. As the program develops a shared mental model of the Milestones, consider creating an individualized guide (Supplemental Guide Template available) with institution/program-specific examples, assessment tools used by the program, and curricular components.

The individuals who have crafted this supplemental guide and in particular, the resources identified for each Milestone, wish to make clear that the resources are intended as suggestions only and do not represent a comprehensive list. We hope and expect that individual programs will identify additional useful resources to help assess fellow performance on each of the Milestones. We also want to make clear that many of the authors of this supplemental guide are members or are otherwise affiliated with the organizations whose resources we site in this document (e.g., National Comprehensive Cancer Network, American Society of Clinical Oncology, American Society of Hematology).

Additional tools and references, including the Milestones Guidebook, Clinical Competency Committee Guidebook, and Milestones Guidebook for Residents and Fellows, are available on the <u>Resources</u> page of the Milestones section of the ACGME website.

Some milestone descriptions include statements about performing independently. It is important to use this guide in conjunction with the ACGME specialty-specific Program Requirements. Specific language has been included that is best defined through the Program Requirements. One notable area within the requirements is VI.A.2.c) which includes the definitions for levels of supervision:

#### Levels of Supervision

To promote oversight of resident supervision while providing for graded authority and responsibility, the program must use the following classification of supervision:

Direct Supervision – the supervising physician is physically present with the resident and patient.

Indirect Supervision:

with Direct Supervision immediately available – the supervising physician is physically within the hospital or other site of patient care, and is immediately available to provide Direct Supervision.

with Direct Supervision available – the supervising physician is not physically present within the hospital or other site of patient care, but is immediately available by means of telephonic and/or electronic modalities, and is available to provide Direct Supervision.

Oversight – the supervising physician is available to provide review of procedures/encounters with feedback provided after care is delivered

П

Patient Care 1: Accesses Data Sources to Synthesize Patient and Disease Specific Information Necessary for Clinical Assessment	
<b>Overall Intent:</b> To build upon those skills learned	during internal medicine residency and to address specialty-specific skills
Milestones	Examples
<b>Level 1</b> Accesses data and gathers a history standard for general internal medicine	<ul> <li>Performs a routine history and physical exam on a patient with pancytopenia that lacks specialty specific findings</li> </ul>
Performs a physical examination standard for general internal medicine	<ul> <li>Performs a routine history and physical exam on a patient with breast cancer that lacks specialty-specific findings</li> </ul>
<b>Level 2</b> Gathers a disease-specific history, with assistance	<ul> <li>Performs a history and examination on a patient with pancytopenia that addresses symptoms of cytopenias; includes findings of lymphatic, spleen, and skin examination</li> </ul>
Performs a disease-specific physical examination, with assistance	<ul> <li>Performs a history and examination on a patient with a breast cancer that includes assessment of lymph nodes, size of mass, breast skin changes, breast cancer risk factors, menstrual status, and family history</li> </ul>
<b>Level 3</b> Accesses data from multiple sources and collects disease-specific history, including psychosocial issues, from the patient and family members	<ul> <li>Independently performs a history and examination on a patient with a pancytopenia that includes assessment of peripheral blood smear, prior blood counts, family history of hematologic illness, exposures and prior treatments but sometimes misses important details</li> </ul>
Completes a disease-specific physical examination	<ul> <li>Independently performs a history and examination on a patient with a breast cancer that includes assessment of psychosocial status, pathology reports with ER/PR and Her2/neu status, previous mammograms and a more detailed family history</li> </ul>
<b>Level 4</b> Consistently synthesizes data from multiple sources and collects a disease-specific history from the patient and family members	<ul> <li>Consistently performs a history and examination on a patient with a pancytopenia that includes assessment of peripheral blood smear, prior blood counts, family history of hematologic illness, exposures and prior treatments</li> </ul>
Consistently completes a disease-specific physical examination	<ul> <li>Consistently performs a history and examination on a patient with a breast cancer that includes assessment of psychosocial status, previous pathology report, previous mammograms, comorbidities, and a more detailed family history</li> </ul>
<b>Level 5</b> Role models gathering and synthesis of clinical information	<ul> <li>Consistently discerns the most important history and physical exam findings to efficiently assess the patient</li> </ul>
Assessment Models or Tools	<ul> <li>Direct observation</li> <li>Medical record (chart) audit</li> </ul>
Curriculum Mapping	
Notes or Resources	<ul> <li>Coulehan JL, Block MR. Respect, genuineness, and empathy. In: Coulehan JL, Block MR. <i>The Medical Interview: Mastering Skills for Clinical Practice</i>. Philadelphia, PA: FA Davis Company; 2006:21-44.</li> </ul>

• Bickley L, Szilagyi PG. Bates' Guide to Physical Examination and History-Taking. 11th ed.
Philadelphia, PA: Wolters Kluwer Health; 2012.
• Lu KH, Wood ME, Daniels M, et al. American Society of Clinical Oncology Expert
Statement: collection and use of a cancer family history for oncology providers. <i>Journal of</i>
Clinical Oncology. 2014;32(8):833-840. doi:10.1200/JCO.2013.50.9257.

Patient Care 2: Diagnoses and Assigns Stage and Severity of Oncology Disorders	
Overall Intent: To determine diagnosis, and assign stage and/or severity of disease	
Milestones	Examples
<b>Level 1</b> Generates a differential diagnosis expected of a graduating internal medicine resident	<ul> <li>Orders initial diagnostic studies for a patient who presents with weight loss, malaise, and palpable lymphadenopathy</li> </ul>
Orders testing without specialty-specific differential diagnosis	
<b>Level 2</b> Interprets initial diagnostic studies to generate a specialty-specific differential diagnosis	<ul> <li>Determines appropriate initial diagnostic laboratory studies and best location for biopsy</li> </ul>
Determines stage of disorder	<ul> <li>Assigns clinical stage based on diagnostic laboratory and radiographic studies</li> </ul>
<b>Level 3</b> Orders advanced diagnostic studies for common disorders when appropriate	<ul> <li>Orders immunophenotypic and molecular studies for common lymphomas</li> </ul>
Determines clinical comorbidities	<ul> <li>Orders studies to determine presence of clinical co-morbidities</li> </ul>
<b>Level 4</b> Diagnoses uncommon disorders and determines disease severity using evidence-based studies	<ul> <li>Uses specialty diagnostic studies to diagnose uncommon lymphoma variants</li> <li>Incorporates existing comorbidities to assign disease severity and prognosis</li> </ul>
<b>Level 5</b> Role models the assignments of stage and disease severity, informed by evidence- based studies and guidelines for specialty disorders	<ul> <li>Serves as resource for application of evidence-based studies and guidelines and considerations of rare lymphoma variants</li> </ul>
Assessment Models or Tools	<ul> <li>Direct observation</li> <li>Medical record (chart) audit</li> <li>Multisource feedback</li> </ul>
Curriculum Mapping	•
Notes or Resources	<ul> <li>American Joint Committee on Cancer. Cancer Staging. <u>https://cancerstaging.org</u> Accessed 2019.</li> <li>National Comprehensive Cancer Network. NCCN Guidelines. <u>https://www.nccn.org/professionals/physician_gls/default.aspx</u>. Accessed 2019.</li> <li>World Health Organization. WHO Classification of Tumors. <u>http://publications.iarc.fr/Book-And-Report-Series/Who-larc-Classification-Of-Tumours</u>. Accessed 2019.</li> </ul>

<ul> <li>Arber DA, Orazi A, Hasserjian R, et al. The 2016 revision to the World Health Organization classification of myeloid neoplasms and acute leukemia. <i>Blood</i>. 2016;127(20):2391-2405. doi:10.1182/blood-2016-03-643544.</li> <li>ASCO University. Cancer Topics. <u>https://university.asco.org/cancer-topics</u>. Accessed 2019.</li> </ul>
--

Patient Care 3: Formulates the Management Plan Overall Intent: To establish management plans for oncologic diseases	
Milestones	Examples
<b>Level 1</b> Formulates a management plan for patients without comorbidities, with assistance	<ul> <li>With assistance, assigns initial treatment for an elderly, postmenopausal patient without comorbidities diagnosed with recurrent breast cancer</li> </ul>
<b>Level 2</b> Formulates a management plan using decision-support tools for patients without comorbidities	<ul> <li>Uses NCCN Guidelines such as tumor hormonal status, to assign initial treatment</li> </ul>
<b>Level 3</b> Formulates a management plan with consideration of disease and patient factors and enrollment in clinical trials	<ul> <li>Considers tools such as the Geriatric Assessment Scale when assigning treatment, and contacts the research team to explore appropriate clinical trials</li> </ul>
<b>Level 4</b> Consistently formulates management plans that include consideration of clinical trial	<ul> <li>Consistently incorporates patient preferences and goals of care in development of the management plan</li> </ul>
enrollment and conforms to patient preferences and goals of care	<ul> <li>Consistently formulates therapeutic plans that include options for standard care, open clinical trials, and alternative treatments</li> </ul>
<b>Level 5</b> Serves as an expert in formulating management plans	<ul> <li>Is called upon by colleagues to provide up-to-date data from recent meetings and publications</li> </ul>
Assessment Models or Tools	<ul> <li>Direct observation</li> <li>Medical record (chart) audit</li> </ul>
Curriculum Mapping	
Notes or Resources	<ul> <li>National Comprehensive Cancer Network. NCCN Guidelines. <u>https://www.nccn.org/professionals/physician_gls/default.aspx</u>. Accessed 2019.</li> <li>Wildiers H, Heeren P, Puts M, et al. International Society of Geriatric Oncology consensus on geriatric assessment in older patients with cancer. <i>Journal of Clinical Oncology</i>. 2014;32(24):2595-2603. doi:10.1200/JCO.2013.54.8347.</li> <li>Mohile SG, Dale W, Somerfield MR, et al. Practical assessment and management of vulnerabilities in older patients receiving chemotherapy: ASCO guideline for geriatric oncology. <i>Journal of Clinical Oncology</i>. 2018;36(22):2326-2347. doi:10.1200/JCO.2018.78.8687.</li> </ul>

Patient Care 4: Adjusts Management Plans for Acute and Chronic Issues Overall Intent: To modify management plans for oncologic diseases	
Milestones	Examples
<b>Level 1</b> Adjusts management plans according to standard guidelines and toxicities, with assistance	<ul> <li>With assistance, considers treatment options for postmenopausal elderly patient on adjuvant hormonal therapy who presents with fatigue and is diagnosed with recurrent breast cancer with liver metastasis</li> </ul>
<b>Level 2</b> Adjusts management plans according to standard guidelines and toxicities	<ul> <li>Modifies treatment using NCCN Guidelines</li> </ul>
<b>Level 3</b> Adjusts management plans based on response to treatment, side effects of the treatment, and comorbidities	<ul> <li>Modifies treatment, taking into account comorbidities and response to previous therapy</li> <li>Modifies treatment using additional diagnostic and molecular testing information</li> </ul>
<b>Level 4</b> Adjusts management plans based on anticipation and recognition of subtle toxicities and long-term sequelae and/or changes in patient preferences and goals	<ul> <li>Consistently uses expected response to therapy, anticipated toxicities, patient goals of care, and clinical trial options when developing a new management plan</li> </ul>
<b>Level 5</b> Serves as an expert in developing and implementing pathways that influence management plans	<ul> <li>Is called upon by colleagues to provide up-to-date data from recent meetings and publications</li> </ul>
Assessment Models or Tools	<ul> <li>Direct observation</li> <li>Medical record (chart) audit</li> </ul>
Curriculum Mapping	
Notes or Resources	<ul> <li>National Comprehensive Cancer Network. NCCN Guidelines. <u>https://www.nccn.org/professionals/physician_gls/default.aspx</u>. Accessed 2019.</li> <li>National Cancer Institute. Clinical Trials Information for Patients and Caregivers. <u>https://www.cancer.gov/about-cancer/treatment/clinical-trials</u>. Accessed 2019.</li> </ul>

Patient Care 5: Competence in Procedures: Performance of Bone Marrow Aspirations and Biopsies Overall Intent: To be proficient in performance of bone marrow aspirations and biopsies	
Examples	
• Discusses the indication for a bone marrow aspiration and biopsy in a patient with probable recurrent acute myeloid leukemia and assists the supervisor during the procedure	
<ul> <li>Performs the procedure with the supervisor in attendance; recognizes when the procedure could be difficult, such as in a patient with large body habitus</li> </ul>	
<ul> <li>Performs bone marrow aspirations and biopsies independently, with supervisor readily available to assist if necessary</li> </ul>	
• Performs bone marrow aspirations and biopsies on patients with large body habitus that requires longer needles and repositioning	
• Serves as the role model for incoming fellows for bone marrow aspirate and biopsy	
<ul> <li>Direct observation</li> <li>Simulation</li> </ul>	
<ul> <li>Focosi D. Bone marrow aspiration and biopsy. <i>The New England Journal of Medicine</i>. 2010;362(2):182-183. doi:10.1056/NEJMc0910593.</li> <li>Malempati S, Joshi S, Lai S, Braner DA, Tegtmeyer K. Videos in clinical medicine. Bone marrow aspiration and biopsy. <i>The New England Journal of Medicine</i>. 2009;361(15):28. doi:10.1056/NEJMvcm0804634.</li> <li>Pereira I, George TI, Arber DA. <i>Atlas of Peripheral Blood: The Primary Diagnostic Tool</i>. Debiladelabia. DA: Woltage Kkwage 2012.</li> </ul>	

American Society of Clinical Oncology. ACGME, NAS, & Milestones.
https://www.asco.org/training-education/education-career-resources/resources-program-
directors/acgme-nas-milestones. Accessed 2019.

Medical Knowledge 1: Malignant Hematology (includes Pathophysiology, Diagnostics, Prognostic Information, and Treatment) Overall Intent: To build on the knowledge acquired during internal medicine residency to provide specialty-specific care for patients with malignant hematological disorders

Milestones	Examples
Level 1 Demonstrates basic knowledge of	• In the evaluation of leukocytosis, determines whether the disorder is lymphoid or myeloid
specialty disorders	
Level 2 Demonstrates expanding knowledge of	<ul> <li>In the evaluation of leukocytosis, uses basic laboratory and bone marrow results,</li> </ul>
specialty disorders and development of clinical	appropriate imaging study results and clinical factors to stage the patient's disease;
reasoning	recognizes when observation versus treatment is appropriate
Level 3 Demonstrates sufficient knowledge of	• Orders and interprets the indicated molecular and cytogenetics studies needed to further
specialty disorders and clinical reasoning skills	define the diagnosis and prognosis of a lymphoid malignancy and to formulate a
to determine evidence-based interventions	management plan a patient without significant comorbidities, including consideration on enrollment in clinical trials
Level 4 Synthesizes advanced knowledge of	• Personalizes the management plan based on disease characteristics and comorbidities
specialty disorders and uses clinical reasoning	and anticipates and manages toxicities; has a detailed understanding of all the available
skills to develop personalized interventions	treatment options
Level 5 Serves as a subject matter expert	<ul> <li>Is regularly consulted by peers for assistance in the management of hematologic</li> </ul>
	malignancies
Assessment Models or Tools	Direct observation
	In-training exam
	Medical record (chart) audit
	Multisource feedback
Curriculum Mapping	
Notes or Resources	American Society of Hematology. ASH Self-Assessment Program (ASH-SAP).
	https://www.ashacademy.org/Product/CME_MOC_ProductList/tcsap. Accessed 2019.
	<ul> <li>ASCO eLearning. Self-Evaluation Activities. <u>https://university.asco.org/self-evaluation-</u></li> </ul>
	activities. Accessed 2019.
	National Comprehensive Cancer Network. NCCN Guidelines.
	nitps://www.nccn.org/professionals/physician_gis/default.aspx. Accessed 2019.
	Cuideline and Case Reviews in Operatory 2nd ed. New York, NY: Demos Medical
	Publishing: 2015

Medical Knowledge 2: Solid Tumor Oncology (includes Pathophysiology, Diagnostics, Prognostic Information, and Treatment) Overall Intent: To build on the knowledge acquired during internal medicine residency to provide specialty-specific care for patients with and suspected of having a solid tumor malignancy

Milestones	Examples
<b>Level 1</b> Demonstrates basic knowledge of specialty disorders	<ul> <li>When evaluating a patient with a new diagnosis of non-small cell lung cancer, completes basic staging studies and names appropriate therapeutic options according to disease activity stage</li> </ul>
<b>Level 2</b> Demonstrates expanding knowledge of specialty disorders and development of clinical reasoning	<ul> <li>In the staging of a patient with lung cancer, takes into consideration comorbidities and their impact on potential therapies, and can identify clinical features that preclude specific therapeutic options</li> </ul>
<b>Level 3</b> Demonstrates sufficient knowledge of specialty disorders and clinical reasoning skills to determine evidence-based interventions	<ul> <li>In the evaluation of a lung cancer patient, orders and interprets indicated molecular and cytogenetics studies that further define the diagnosis, prognosis, and therapeutic options; formulates a management plan for a patient without significant comorbidities, including consideration on enrollment in clinical trials</li> </ul>
<b>Level 4</b> Synthesizes advanced knowledge of specialty disorders and uses clinical reasoning skills to develop personalized interventions	• Personalizes management plans based on disease characteristics and comorbidities, and anticipates and manages toxicities; has a detailed understanding of all the available treatment options
Level 5 Serves as a subject matter expert	<ul> <li>Is regularly consulted by peers for assistance in the management of patients with solid tumors</li> </ul>
Assessment Models or Tools	<ul> <li>Direct observation</li> <li>In-training exam</li> <li>Medical record (chart) audit</li> <li>Multisource feedback</li> </ul>
Curriculum Mapping	
Notes or Resources	<ul> <li>ASCO University. ASCO-SEP. <u>https://university.asco.org/asco-sep%C2%AE-6th-edition</u>. Accessed 2019.</li> <li>National Comprehensive Cancer Network. NCCN Guidelines. <u>https://www.nccn.org/professionals/physician_gls/default.aspx</u>. Accessed 2019.</li> <li>Niederhuber JE, Armitage JO, Doroshow JH, Kastan MB, Tepper JE. <i>Abeloff's Clinical Oncology</i>. 6th ed. Philadelphia, PA: Elsevier; 2019.</li> </ul>

Medical Knowledge 3: Scholarly Activity Overall Intent: To identify areas worthy of investigation, design and implement a plan for investigation, and disseminate the findings of scholarly work

Milestones	Examples
<b>Level 1</b> Identifies areas worthy of scholarly investigation	<ul> <li>After reviewing the literature, identifies the optimal method of teaching a new invasive procedure to house staff</li> </ul>
<b>Level 2</b> Formulates a scholarly plan under supervision of a mentor	• With assistance of a mentor, outlines a hypothesis and plan to test two different methods of teaching for a new procedure
<b>Level 3</b> Presents products of scholarly activity at local meetings	• In collaboration with a statistician or supervisor, reviews the data collected during the study of two different teaching methods, writes an abstract, and presents as a poster at a local educational forum
<b>Level 4</b> Disseminates products of scholarly activity at regional or national meetings, and/or submits an abstract to regional, state, or national meetings	<ul> <li>After making a significant contribution to an educational research project, submits an abstract to a nationally recognized educational meeting</li> <li>Is contacted by educators from programs for advice regarding educational research</li> </ul>
<b>Level 5</b> Publication of independent research that has generated new medical knowledge, educational programs, or process improvement	<ul> <li>Publishes research in peer-reviewed journal</li> </ul>
Assessment Models or Tools	Direct observation     Portfolio
Curriculum Mapping	
Notes or Resources	<ul> <li>National Cancer Institute. Clinical Trials Information for Patients and Caregivers. https://www.cancer.gov/about-cancer/treatment/clinical-trials. Accessed 2019.</li> <li>Schünemann HJ, Wiercioch W, Brozek J, et al. GRADE Evidence to Decision (EtD) frameworks for adoption, adaption, and de novo development of trustworthy recommendations: GRADE-ADOLOPMENT. <i>Journal of Clinical Epidemiology</i>. 2017;81:101-110. doi:10.1016/j.jclinepi.2016.09.009.</li> <li>Blome C, Sondermann H, Augustin M. Accepted standards on how to give a Medical Research Presentation: a systematic review of expert opinion papers. <i>GMS Journal for Medical Education</i>. 2017;34(1):Doc11. doi:10.3205/zma001088.</li> </ul>

# Systems-Based Practice 1: Patient Safety

**Overall Intent:** To identify patient safety or practice efficiency events and participate in a project with interprofessional colleagues to improve safety or practice

Milestones	Examples
<b>Level 1</b> Demonstrates knowledge of common patient safety events	<ul> <li>Identifies patient identification and medication errors as common safety events</li> </ul>
Demonstrates knowledge of how to report patient safety events	<ul> <li>Is aware that institutions have reporting systems but does not place the report of a patient safety event</li> </ul>
<b>Level 2</b> Identifies system factors that lead to patient safety events	<ul> <li>Identifies chemotherapy order set that does not include platelet or white blood cell parameters</li> </ul>
Reports patient safety events through institutional reporting systems (simulated or actual)	<ul> <li>Reports post-chemotherapy bleeding event through the institutional reporting system</li> </ul>
<b>Level 3</b> Participates in the analysis of patient safety events	Participates in the analysis of chemotherapy order sets to identify potential safety risks
Participates in disclosure of patient safety events to patients and families (simulated or actual)	<ul> <li>In collaboration with the attending, discloses the inappropriate chemotherapy administration due to low blood counts to the patient and family</li> </ul>
<b>Level 4</b> Conducts analysis of patient safety events and offers error prevention strategies	<ul> <li>Analyzes chemotherapy order sets and offers improvements</li> </ul>
Leads disclosure of patient safety events to patients and families with documentation (simulated or actual)	• Leads disclosure of the inappropriate chemotherapy administration due to low blood counts to the patient and family
<b>Level 5</b> Actively engages teams and processes to modify systems to prevent patient safety events	<ul> <li>Leads a multidisciplinary team to improve chemotherapy administration order sets</li> </ul>
Role models or mentors others in the disclosure of patient safety	<ul> <li>Coaches others on how to disclose patient safety events</li> </ul>
Assessment Models or Tools	Direct observation
	Documentation of patient safety project

Curriculum Mapping	•
Notes or Resources	<ul> <li>Institute for Healthcare Improvement. <u>http://www.ihi.org/Pages/default.aspx</u>. Accessed 2019.</li> </ul>
	• Steen S, Jaeger C, Price L, Griffen D. Increasing patient safety event reporting in an
	emergency medicine residency. BMJ Open Quality. 2017;6(1):u223876-w5716. doi:
	10.1136/bmjquality.u223876.w5716.
	American Medical Association. 5 steps to better patient safety training for residents,
	fellows. https://www.ama-assn.org/education/improve-gme/5-steps-better-patient-safety-
	training-residents-fellows. Accessed 2019.
	• Bryant-Bova JN. Improving chemotherapy ordering process. Journal of Oncology
	Practice. 2016;12(2):e248-e256. doi: 10.1200/JOP.2015.007443.

Systems-Based Practice 2: Quality Improvement Overall Intent: To identify patient safety or practice efficiency events and participate in a project with interprofessional colleagues to improve safety or practice

Milestones	Examples
Level 1 Demonstrates knowledge of basic	<ul> <li>Identifies root cause analysis as one metric for quality improvement</li> </ul>
quality improvement methodologies and metrics	
Level 2 Describes local quality improvement	<ul> <li>Identifies an institutional initiative to improve documentation of informed consent for</li> </ul>
initiatives	procedures or systemic therapies
Level 3 Participates in local quality improvement	<ul> <li>Participates in institutional project to improve documentation of informed consent for</li> </ul>
initiatives	procedures or systemic therapies
Level 4 Demonstrates the skills required to	• Participates in a simulated root cause analysis to determine cause of poor documentation
identify, develop, implement, and analyze a	of informed consent for a patient who developed a hematoma after a bone marrow
quality improvement project	aspiration and biopsy
Level 5 Creates, implements, and assesses	• Creates an order set for the procedure that has a hyperlink to a required informed consent
quality improvement initiatives at the institutional	document
or community level	
Assessment Models or Tools	Direct observation
	<ul> <li>Documentation of quality improvement project (actual or mock)</li> </ul>
	Medical record (chart) audit
	Multisource feedback
	Portfolio
Curriculum Mapping	•
Notes or Resources	<ul> <li>ASCO Practice Central. Quality Improvement Library. <u>https://practice.asco.org/quality-</u></li> </ul>
	improvement/quality-programs/quality-training-program/quality-improvement-library.
	Accessed 2019.
	<ul> <li>Accordino MK, Heaney ML. Quality improvement and safety curriculum for</li> </ul>
	hematology/oncology fellows at Columbia University. Journal of Clinical Oncology.
	2018;36(30):247. doi:10.1200/JCO.2018.36.30_suppl.247.

Systems-Based Practice 3: System Navigation for Patient-Centered Care: Coordination and Transitions of Care	
overall intent. To coordinate patient-centered ca	re among different disciplines and across fleatin care delivery systems
Milestones	Examples
Level 1 Demonstrates knowledge of care coordination	<ul> <li>Is aware that an acute leukemia patient will need outpatient care follow up, including laboratory and pegfilgrastim</li> </ul>
Identifies key elements for safe and effective transitions of care and hand-offs	
<b>Level 2</b> Coordinates care of patients in routine clinical situations effectively using the roles of their interprofessional teams	<ul> <li>Works with a social worker/health navigator to arrange for home care and laboratory tests</li> </ul>
Performs safe and effective transitions of care/hand-offs in routine clinical situations	<ul> <li>Inpatient fellow alerts the outpatient team that the patient will be discharged</li> </ul>
Level 3 Coordinates care of patients in complex clinical situations effectively using the roles of their interprofessional teams Performs safe and effective transitions of	<ul> <li>Ensures that the interprofessional outpatient team has systems in place for immediate access to treatment if fever and/or neutropenia develop</li> </ul>
care/hand-offs in complex clinical situations	
<b>Level 4</b> Role models effective coordination of patient-centered care among different disciplines and specialties	<ul> <li>Routinely participates in multidisciplinary rounds and coordinates post-discharge care between hematology-oncology, infectious disease, and pharmacy services</li> </ul>
Role models and advocates for safe and effective transitions of care/hand-offs within and across health care delivery systems, including outpatient settings	<ul> <li>Serves as the model for care transitions including care plans and algorithms, recommendations for blood product support, and key contacts at the referring practices and institution</li> </ul>
<b>Level 5</b> Analyzes the process of care coordination and leads in the design and implementation of improvements	<ul> <li>Analyzes system processes and develops documentation to improve transitions for patients with acute leukemia who are transferring to different institutions or practices</li> </ul>
Improves quality of transitions of care within and across health care delivery systems to optimize patient outcomes	
Assessment Models or Tools	Direct observation

	Medical record (chart) audit     Multisource feedback
Curriculum Mapping	
Notes or Resources	<ul> <li>Lee SJC, Jetelina KK, Marks E, et al. Care coordination for complex cancer survivors in an integrated safety-net system: a study protocol. <i>BMC Cancer</i>. 2018;18(1):1204. doi:10.1186/s12885-018-5118-7.</li> <li>Wohlauer MV, Arora VM, Horwitz LI, et al. The patient handoff: a comprehensive curricular blueprint for resident education to improve continuity of care. <i>Academic Medicine</i>. 2012;87(4):411-418. doi:10.1097/ACM.0b013e318248e766.</li> </ul>

Systems-Based Practice 4: System Navigation for Patient-Centered Care: Population Health Overall Intent: To adapt practice to provide for the needs of specific populations	
Milestones	Examples
<b>Level 1</b> Demonstrates knowledge of population and community health care needs and disparities	<ul> <li>Identifies a local population that has barriers to medical care access</li> </ul>
<b>Level 2</b> Identifies specific population and community health care needs and disparities	<ul> <li>Identifies a population that does not have access to hematology or oncology care due to great distances to travel to receive that care</li> </ul>
<b>Level 3</b> Identifies local resources to meet community health care needs and disparities	<ul> <li>Initiates referral to set up local nursing service to coordinate patient's long-distance care</li> </ul>
<b>Level 4</b> Adapts practice to provide for the needs of specific populations	<ul> <li>Completes blood test monitoring by using a laboratory service located close to the patient's home</li> </ul>
<b>Level 5</b> Leads innovations and advocates for populations and communities with health care disparities	<ul> <li>Develops a telemedicine service to monitor patients' disease status</li> </ul>
Assessment Models or Tools	<ul> <li>Direct observation</li> <li>Medical record (chart) audit</li> <li>Multisource feedback</li> </ul>
Curriculum Mapping	
Notes or Resources	<ul> <li>Medicaid. Telemedicine. <u>https://www.medicaid.gov/medicaid/benefits/telemed/index.html</u>. Accessed 2019.</li> <li>Office of Disease Prevention and Health Promotion. Healthy People. Access to Health Services. <u>https://www.healthypeople.gov/2020/topics-objectives/topic/Access-to-Health-Services</u>. Accessed 2019.</li> <li>ASCO eLearning. Cultural Competence for Oncology Practice. <u>https://university.asco.org/cultural-competence-oncology-practice</u>. Accessed 2019.</li> </ul>

Systems-Based Practice 5: Physician Role in Health Care Systems		
Overall Intent: To manage financial factors and incorporate value in shared decision making with patients; to manage various components of		
the health care system to provide high-value care		
Milestones	Examples	
Level 1 Identifies basic financial barriers for	<ul> <li>Aware that costs of systemic therapy can result in high co-payments and lost wages</li> </ul>	
individual patients and basic financial		
components of the health care system		
Identifies key components of the complex health	Identifies hospital, skilled nursing facility, finance, personnel, and technology as	
care system	components of care	
Level 2 Considers financial barriers and quality	<ul> <li>Considers the costs of systemic therapy when ordering a regimen</li> </ul>	
of care when ordering diagnostic or therapeutic		
Interventions		
Describes how components of a complex health	Recognizes that early palliative care consultation can impact the need for other	
care system are inter-related, and how this	therapeutic interventions	
impacts ordering therapeutic interventions		
Level 3 Incorporates value (quality/costs) into	<ul> <li>Incorporates the data on disease outcomes into discussions with patients and families</li> </ul>	
shared decision making, with interprofessional	regarding systemic therapy options	
team input		
Discusses how individual practice and the	Discusses how inefficient communication between services impacts length of stay and	
broader system affect each other	readmission rates	
Level 4 Manages financial factors that affect a	<ul> <li>Addresses financial factors by arranging for as much care as possible to be close to</li> </ul>	
patient's access to care and decision making	patient's home	
Manages various components of the complex	Coordinates care recommendations from the palliative care service and the outpatient	
health care system to provide efficient and	team	
effective patient care		
Level 5 Role models and teaches patients and	• Leads a conference on identifying patient factors that may impact patients' ability to	
interprofessional team members to consider	receive therapy	
value when making diagnostic and therapeutic		
recommendations		
Advocates for or leads systems change that	Presents institution-specific data to show palliative care outcomes on inpatient quality	
enhances high-value, efficient, and effective	metrics	
patient care		

Assessment Models or Tools	<ul> <li>Direct observation</li> <li>Medical record (chart) audit</li> <li>Quality improvement project</li> </ul>
Curriculum Mapping	•
Notes or Resources	<ul> <li>National Cancer Institute. Financial Toxicity and Cancer Treatment. <u>https://www.cancer.gov/about-cancer/managing-care/track-care-costs/financial-toxicity-hp-pdg</u>. Accessed 2019.</li> <li>American Academy of Hospice and Palliative Medicine. Quality Initiatives. <u>http://aahpm.org/education/quality</u>. Accessed 2019.</li> <li>Agency for Healthcare Research and Quality. Measuring the Quality of Physician Care. <u>https://www.ahrq.gov/talkingquality/measures/setting/physician/index.html</u>. Accessed 2019.</li> <li>Agency for Healthcare Research and Quality. Major Physician Measurement Sets. <u>https://www.ahrq.gov/talkingquality/measures/setting/physician/measurement-sets.html</u>. Accessed 2019.</li> <li>American College of Physicians. High Value Care. <u>https://www.acponline.org/clinical-information/high-value-care</u>. Accessed 2019.</li> </ul>

# Practice-Based Learning and Improvement 1: Evidence-Based and Informed Practice

**Overall Intent:** To access and apply evidence to practice even when patients' cases are complicated, the evidence is scarce, or the evidence is conflicting

Milestones	Examples
Level 1 With assistance, accesses available	• With assistance, assesses the clinical practice guideline(s) to choose treatment for a
evidence and practice guidelines for patient care	patient with recurrent melanoma
	With assistance, reviews the guidelines to choose the best anticoagulation for a patient     with provoked deep vein thrombosis
<b>Level 2</b> Independently identifies available evidence and practice guidelines for patient care	<ul> <li>Knows and uses the guidelines to look for treatment options for a patient with advanced melanoma</li> </ul>
	<ul> <li>Knows and uses the guidelines to choose the best treatment for a patient with a provoked deep vein thrombosis</li> </ul>
<b>Level 3</b> Critically appraises evidence and applies to patient care	• Synthesizes available evidence to make a recommendation for treatment of a patient with recurrent, metastatic melanoma
	• Synthesizes available evidence to make a recommendations for a patient with provoked deep vein thrombosis and morbid obesity
Level 4 Applies best available evidence, even in	Recognizes that the literature has scant and conflicting information for patients with
the face of insufficient and/or conflicting information	metastatic melanoma who also have underlying immune related diseases, such as myasthenia gravis
	<ul> <li>Recognizes that the literature has scant and conflicting information about patients with provoked deep vein thrombosis, morbid obesity, underlying cancer diagnosis, and who are under-insured</li> </ul>
<b>Level 5</b> Serves as a role model to critically appraise and apply evidence to patient care	Role models assessment of the literature to determine the best treatment for patients with metastatic melanoma, taking into consideration a rapidly changing literature and patient
	co-morbidities
	Role models assessment of the literature in order to come up with the best treatment for     patients with provoked deep vein thrombosis regardless of the clinical scenarios
Assessment Models or Tools	Direct observation
	In-training exam
	Medical record (chart) audit
Curriculum Mapping	
Notes or Resources	• Guyatt G, Rennie D, Meade MO, Cook DJ. Users' Guides to the Medical Literature. 3rd
	ed. New York, NY: Mcgraw-Hill Education; 2015.
	Center for Evidence-Based Medicine. <u>https://www.cebm.net/</u> . Accessed 2019.     Netional Comprehensive Concern Network, NCCN Cylidelines
	National Comprehensive Cancer Network. NCCN Guidelines.
	https://www.nccn.org/professionals/physician_gls/default.aspx. Accessed 2019.

Practice-Based Learning and Improvement 2: Reflective Practice and Commitment to Personal Growth		
Overall Intent: To improve performance by examining data from their practice and narrowing gaps between actual performance and expected		
performance; to measure the effectiveness of his/her learning plan and make appropriate changes		
Milestones	Examples	
Level 1 Identifies gaps in knowledge and	<ul> <li>Aware that a regimen of chemotherapy can cause infertility after coaching by the</li> </ul>	
performance	attending physician	
Actively seeks opportunities to improve	<ul> <li>Wants to learn about metastatic renal cell carcinoma</li> </ul>	
Level 2 Reflects on the factors which contribute	<ul> <li>Reflects on a case in which consent did not include the risk of infertility and requests</li> </ul>	
to gaps between expectations and actual	review papers to learn which regimens of chemotherapy can cause infertility	
performance		
Designs and implements a learning plan, with	<ul> <li>With attending, designs a learning plan for metastatic renal cell carcinoma</li> </ul>	
assistance		
Level 3 Institutes changes to narrow the gaps	• Elects to spend more time in specialty clinics based on in-training exam results	
between expectations and actual performance		
Independently exected and implements	, la den en de attre e la environ a la environ a constantation and a la environne.	
	• Independently creates a learning plan on metastatic renal cell carcinoma	
	- Derferme chart qualit en meteototic renel cell corrineme nationte and compares quin	
Level 4 Intentionally seeks performance data to	• Performs chart audit on metastatic renarcell carcinoma patients and compares own	
actual porformanco	Interventions with evidence based guidelines	
actual performance		
Measures the effectiveness of the learning plan	Measures the effectiveness of the learning plan by comparing previous and current in-	
and makes appropriate changes	training exam results and makes appropriate modifications	
Level 5 Role models reflective practice	Consistently reflects on clinical outcomes to improve practice	
Facilitates the design and implementation of	Mentors others on assessing performance and developing learning plans	
learning plans for others		
Assessment Models or Tools	Direct observation	
	In-training examination	
	Mentored review of learning plan	
	Targeted reflective writing	
Curriculum Mapping		
Notes or Resources	<ul> <li>Hojat M, Veloski JJ, Gonnella JS. Measurement and correlates of physicians' lifelong</li> </ul>	
	learning. Academic Medicine. 2009;84(8):1066-1074.	
	doi:10.1097/ACM.0b013e3181acf25f.	

Collichio FA, Hess BJ, Muchmore EA, et al. Medical knowledge assessment by
hematology and medical oncology in-training examinations are better than program
director assessments at predicting subspecialty certification examination performance.
Journal of Cancer Education. 2017;32(3):647-654. doi: 10.1007/s13187-016-0993-6.
Burke AE, Benson B, Englander R, Carraccio C, Hicks PJ. Domain of competence:
practice-based learning and improvement. Academic Pediatrics. 2014;14:S38-S54. doi:
10.1016/j.acap.2013.11.018.

Professionalism 1: Professional Behavior and Ethical Principles	
Overall Intent: To recognize and address lapses in ethical and professional behavior, demonstrate ethical and professional behaviors, and	
use appropriate resources for managing ethical ar	nd professional dilemmas
Milestones	Examples
<b>Level 1</b> Demonstrates knowledge of common ethical principles and potential triggers for professionalism lapses	<ul> <li>Discusses informed consent, conflict of interest principles, advanced directives, and surrogate decision makers</li> </ul>
Describes when and how to appropriately report professionalism lapses	<ul> <li>Recognizes that fatigue may lead to abrupt behavior some interpret as rude</li> </ul>
<b>Level 2</b> Analyzes straightforward situations using ethical principles	<ul> <li>Agrees to see a patient who was one hour late for clinic appointment for a colleague who had other responsibilities and needed to leave</li> </ul>
Recognizes and takes responsibility for own professionalism lapses	<ul> <li>Acknowledges being rude to a nurse over the phone without becoming defensive, making excuses, or blaming others, and then apologizes to the nurse</li> </ul>
<b>Level 3</b> Manages and resolves complex ethical situations, including personal lapses, with assistance	<ul> <li>Articulates a plan to transition a patient to another provider due to patient-provider conflict</li> <li>Articulates a strategy to manage anger problems in stressful situations that negatively impact others</li> </ul>
<b>Level 4</b> Intervenes and uses appropriate resources to prevent and manage professionalism lapses and dilemmas in self and others	<ul> <li>Collaborates with the Ethics Committee and risk management to address a complicated case of patient who has assumed someone else's identity</li> <li>Recognizes and reports fatigue and stress in a colleague</li> </ul>
<b>Level 5</b> Coaches others when their behavior fails to meet professional expectations	<ul> <li>Proactively identifies poor behavior and works with colleagues in identifying lapses</li> </ul>
Assessment Models or Tools	<ul> <li>Direct observation</li> <li>Global evaluation</li> <li>Multisource feedback</li> <li>Self-reflection</li> <li>Simulation or role play</li> </ul>
Curriculum Mapping	
Notes or Resources	<ul> <li>American Medical Association. Ethics. <u>https://www.ama-assn.org/delivering-care/ama-code-medical-ethics</u>. Accessed 2019.</li> <li>ABIM Foundation. American Board of Internal Medicine. Medical professionalism in the new millennium: a physician charter. <i>Annals of Internal Medicine</i>. 2002;136(3):243-246. doi:10.7326/0003-4819-136-3-200202050-00012.</li> <li>Byyny RL, Papadakis MA, Paauw DS. <i>Medical Professionalism Best Practices</i>. Menlo Park, CA: Alpha Omega Alpha Medical Society; 2015.</li> </ul>

• Levinson W, Ginsburg S, Hafferty F, Lucey CR. Understanding Medical Professionalism.
1st ed. New York, NY: McGraw-Hill Education; 2014.
• Jonsen AR, Siegler M, Winslade WJ. Clinical Ethics: A Practical Approach to Ethical
Decisions in Clinical Medicine. 8th ed. New York, NY: McGraw-Hill Education; 2015.
• UpToDate. Ethical issues in palliative care. <u>https://www.uptodate.com/contents/ethical-</u>
issues-in-palliative-care. Accessed 2019.
• Markham MJ, George TJ Jr, Close JL. Fellowship engagement in hematology/oncology
professionalism training. Journal of Clinical Oncology. 2014;32(11):1164-1166.
doi:10.1200/JCO.2013.54.6879.

Professionalism 2: Accountability/Conscientiousness Overall Intent: To take responsibility for one's own actions and the impact on patients and other members of the health care team	
Milestones	Examples
<b>Level 1</b> Takes responsibility for failure to complete tasks	<ul> <li>After being counseled for delays in renewing prescriptions, acknowledges delays, and promptly responds to prescription refill requests</li> </ul>
<b>Level 2</b> Performs tasks in a timely manner or provides notification when unable to complete tasks	<ul> <li>During rounds, receives multiple urgent consult requests and asks attending to assist in triaging patients</li> </ul>
<b>Level 3</b> Performs tasks in a timely manner with appropriate attention to detail in complex or stressful situations	<ul> <li>Prioritizes those needing immediate attention and provides appropriate recommendations, despite multiple consults</li> </ul>
<b>Level 4</b> Takes responsibility in situations that impact the ability of team members to complete tasks and responsibilities in a timely manner	<ul> <li>Voluntarily assists a colleague who is overwhelmed with multiple urgent consults</li> </ul>
<b>Level 5</b> Exceeds expectations for supporting team responsibilities	<ul> <li>Notices call coverage difficulties resulting in colleague stress and leads fellowship class in developing strategies to improve the call coverage structure</li> </ul>
Assessment Models or Tools	<ul> <li>Compliance with deadlines and timelines</li> <li>Direct observation</li> <li>Global/rotation evaluations</li> <li>Multisource feedback</li> <li>Self-evaluations</li> <li>Simulation</li> </ul>
Curriculum Mapping	•
Notes or Resources	<ul> <li>ABIM Foundation. American Board of Internal Medicine. Medical professionalism in the new millennium: a physician charter. <i>Annals of Internal Medicine</i>. 2002;136(3):243-246. doi:10.7326/0003-4819-136-3-200202050-00012.</li> <li>Code of conduct from fellow's home institutional.</li> </ul>

Professionalism 3: Fellow Well-Being Overall Intent: To identify, use, manage, improve, and seek help for personal and professional well-being for self and others	
Milestones	Examples
<b>Level 1</b> Recognizes status of personal and professional well-being, with assistance	Identifies and communicates personal impact of a patient death, with assistance
Level 2 Independently recognizes status of personal and professional well-being	<ul> <li>Independently identifies and communicates personal impact of a patient death</li> </ul>
<b>Level 3</b> With assistance, proposes a plan to optimize personal and professional well-being	<ul> <li>With assistance, develops a personal practice to sustain resilience in response to patient deaths</li> </ul>
<b>Level 4</b> Independently develops a plan to optimize personal and professional well-being	<ul> <li>Independently develops a personal practice to sustain resilience in response to patient deaths</li> </ul>
<b>Level 5</b> Role models the continual ability to monitor and address personal and professional well-being	<ul> <li>Assists in organizational efforts to address clinician wellness after patient death</li> </ul>
Advocates for institutional changes to support well-being	Collaborates with other fellows to create a committee on well-being
Assessment Models or Tools	<ul> <li>Direct observation</li> <li>Group interview or discussions for team activities</li> <li>Individual interview</li> <li>Participation in institutional well-being programs</li> <li>Self-assessment</li> </ul>
Curriculum Mapping	•
Notes or Resources	<ul> <li>Local resources, including Employee Assistance Program, Chief Fellow(s). Wellness Counselor(s), Faculty Mentor, etc.</li> <li>Accreditation Council for Graduate Medical Education. Tools and Resources. <u>https://www.acgme.org/What-We-Do/Initiatives/Physician-Well-Being/Resources</u>. Accessed 2019.</li> <li>Stanford Medicine. WELLMD. <u>https://wellmd.stanford.edu/</u>. Accessed 2019.</li> <li>American Academy of Pediatrics. Resilience Curriculum: Resilience in the face of grief and loss. <u>https://www.aap.org/en-us/advocacy-and-policy/aap-health-initiatives/hospice- palliative-care/Pages/Resilience-Curriculum.aspx</u>. Accessed 2019.</li> <li>Currow DC, Fallon M, Cherny NI, Portenoy RK, Kaasa S, eds. 2015. Chapter 4.16. Burnout, compassion fatigue, and moral distress in palliative care. Oxford Textbook of Palliative Medicine. 5th ed. Oxford, United Kingdom: Oxford University Press; 2015.</li> </ul>

Interpersonal and Communication Skills 1: Patient- and Family-Centered Communication	
Overall Intent: To use listening, language, behaviors, and self-awareness to form a therapeutic relationship with a patient and his/her family	
while identifying and minimizing potential barrier to	p communication
Milestones	Examples
Level 1 Identifies common barriers to effective communication	<ul> <li>Recognizes that prognostic disclosure to terminal patients may affect the physician- patient relationship</li> </ul>
	Identifies the need for an interpreter for a patient/caregiver who is non-English speaking
Recognizes the need to adjust communication strategies based on context	<ul> <li>Adjusts communication strategies based on assessment of patient/family expectations and understanding of their health status and treatment options</li> </ul>
<b>Level 2</b> Identifies complex barriers to effective communication	<ul> <li>Identifies the challenge of ensuring patient understanding and consent when they defer decision making to their caregiver</li> </ul>
Verifies patient/family understanding of the clinical situation to optimize effective communication	<ul> <li>Uses teach back when discussing prognosis with a patient and their family</li> </ul>
<b>Level 3</b> Reflects on personal biases while attempting to minimize communication barriers	<ul> <li>With assistance, identifies and reflects on personal bias towards patient autonomy over cultural preferences in decision making</li> </ul>
With guidance, uses shared decision making to align patient/family values, goals, and preferences with treatment options to make a personalized care plan	<ul> <li>With assistance, develops an effective management plan that complies with patient preference to defer decision making to the family</li> </ul>
<b>Level 4</b> Proactively improves communication by addressing barriers including patient and personal biases	<ul> <li>Researches cultural differences and communication skills and applies new knowledge to improve care of patients</li> </ul>
Independently, uses shared decision making to make a personalized care plan	<ul> <li>Independently develops an effective management plan that complies with patient preference to defer decision making to the family</li> </ul>
<b>Level 5</b> Role models communication that addresses barriers	<ul> <li>Coaches a trainee to acknowledge personal bias and successfully manage communication with a patient who defers decision making to their caregiver</li> </ul>
Role models shared decision making in patient/family communication, including those with a high degree of uncertainty/conflict	<ul> <li>Coaches others to communicate with a patient and family to mediate their conflicting ideas of whether disease directed treatment should be continued</li> </ul>
Assessment Models or Tools	Direct observation

<ul> <li>Objective structured clinical examination</li> <li>Self-assessment</li> <li>Standardized patients</li> <li>Curriculum Mapping</li> <li>Back A, Arnold R, Tulsky J. Mastering Communication with Seriously III Patients. Cambridge: Cambridge University Press; 2009.</li> <li>Makoul G. The SEGUE Framework for teaching and assessing communication skills. Patient Education and Counseling. 2001;45(1):23-34. doi:10.1016/S0738-3991(01)00136- 7.</li> <li>O'Sullivan P, Chao S, Russell M, Levine S, Fabiny A. Development and implementation of an objective structured clinical examination to provide formative feedback on communication and interpersonal skills in geriatric training. Journal of the American Geriatrics Society. 2008;56(9):1730-1735. doi:10.1111/j.1532-5415.2008.01860.x.</li> <li>Vital Talk. www.vitaliak.org. Accessed 2019.</li> <li>Back AL, Arnold RM, Baile WF, Tulskey JA, Fryer-Edwards K. Approaching difficult communication tasks in oncology. CA Cancer J Clin. 2005;55(3):164-177. doi:10.3322/canjclin.55.3.164.</li> <li>Wrigh AA, Zhang B, Ray A, et al. Associations between end-of-life discussions, patient mental health, medical care near death, and caregiver bereavement adjustment. JAMA. 2008;300(14):1665-1673. doi:10.1001/jama.300.14.1665.</li> <li>Symons AB, Swanson A, McGuigan D, Orrange S, Akl EA. A tool for self-assessment of communication skills and professionalism in fellows. BMC Med Educ. 2009;9:1. doi:10.1186/1472-6920-9.1.</li> <li>American Academy of Hospice and Palliative Medicine. Competencies Project. http://aahpm.org/fellowships/competencies#competencies-toolkit. Accessed 2019.</li> <li>Lane LJ, Gottlieb RP. Structured clinical observations: a method to teach clinical skills with limited time and financial resources. Pediatrics. 2000;105(4):973-977.</li> </ul>		Multisource feedback
Self-assessment         Standardized patients         Curriculum Mapping         Notes or Resources         Back A, Arnold R, Tulsky J. Mastering Communication with Seriously III Patients. Cambridge: Cambridge University Press; 2009.         Makoul G. The SEGUE Framework for teaching and assessing communication skills. Patient Education and Counseling. 2001;45(1):23-34. doi:10.1016/S0738-3991(01)00136- 7.         O'Sullivan P, Chao S, Russell M, Levine S, Fabiny A. Development and implementation of an objective structured clinical examination to provide formative feedback on communication and interpersonal skills in geriatric training. Journal of the American Geriatrics Society. 2008;56(9):1730-1735. doi:10.1111/j.1532-5415.2008.01860.x.         Vital Talk. www.vitaltalk.org. Accessed 2019.         Back AL, Arnold RM, Baile WF, Tulskey JA, Fryer-Edwards K. Approaching difficult communication tasks in oncology. CA Cancer J Clin. 2005;55(3):164-177. doi:10.3322/canjclin.55.3.164.         Wright AA, Zhang B, Ray A, et al. Associations between end-of-life discussions, patient mental health, medical care near death, and caregiver bereavement adjustment. JAMA. 2008;300(14):1665-1673. doi:10.1001/jama.300.14.1665.         Symons AB, Swanson A, McGuigan D, Orrange S, Akl EA. A tool for self-assessment of communication skills and professionalism in fellows. BMC Med Educ. 2009;9:1. doi:10.1186/1472-6920-91.         American Academy of Hospice and Palliative Medicine. Competencies Project. http://aahpm.org/fellowships/competencies/completencies-toolkit. Accessed 2019.         • Le, Gottlieb RP. Structured clinical observations: a method to teach clinical skills with limited time and fi		Objective structured clinical examination
• Standardized patients         Curriculum Mapping         Notes or Resources         • Back A, Arnold R, Tulsky J. Mastering Communication with Seriously III Patients. Cambridge: Cambridge University Press; 2009.         • Makoul G. The SEGUE Framework for teaching and assessing communication skills. Patient Education and Counseling. 2001;45(1):23-34. doi:10.1016/S0738-3991(01)00136- 7.         • O'Sullivan P, Chao S, Russell M, Levine S, Fabiny A. Development and implementation of an objective structured clinical examination to provide formative feedback on communication and interpersonal skills in geriatric training. Journal of the American Geriatrics Society. 2008;56(9):1730-1735. doi:10.1111/j.1532-5415.2008.01860.x.         • Vital Talk. www.vitaltalk.org. Accessed 2019.         • Back AL, Arnold RM, Baile WF, Tulskey JA, Fryer-Edwards K. Approaching difficult communication tasks in oncology. CA Cancer J Clin. 2005;55(3):164-177. doi:10.3322/canjclin.55.3164.         • Wright AA, Zhang B, Ray A, et al. Associations between end-of-life discussions, patient mental health, medical care near death, and caregiver bereavement adjustment. JAMA. 2008;300(14):1665-1673. doi:10.1010/jama.300.14.1665.         • Symons AB, Swanson A, McGuigan D, Orrange S, Akl EA. A tool for self-assessment of communication skills and professionalism in fellows. BMC Med Educ. 2009;9:1. doi:10.1186/1472-6920-9.1         • American Academy of Hospice and Palliative Medicine. Hospice and Palliative Medicine Competencies Project. http://aahpm.org/fellowships/competencies#completencies-toolkit. Accessed 2019.         • Lane JL, Gottlieb RP. Structured clinical observations: a method to teach clinical skills with limited time an		Self-assessment
Curriculum Mapping         •           Notes or Resources         • Back A, Arnold R, Tulsky J. Mastering Communication with Seriously III Patients. Cambridge: Cambridge University Press; 2009.           • Makoul G. The SEGUE Framework for teaching and assessing communication skills. Patient Education and Counseling. 2001;45(1):23-34. doi:10.1016/S0738-3991(01)00136- 7.           • O'Sullivan P, Chao S, Russell M, Levine S, Fabiny A. Development and implementation of an objective structured clinical examination to provide formative feedback on communication and interpersonal skills in geriatric training. Journal of the American Geriatrics Society. 2008;56(9):1730-1735. doi:10.1111/j.1532-5415.2008.01860.x.           • Vital Talk. www.vitaltalk.org. Accessed 2019.           • Back AL, Arnold RM, Baile WF, Tulskey JA, Fryer-Edwards K. Approaching difficult communication tasks in oncology. CA Cancer J Clin. 2005;55(3):164-177. doi:10.3222/canjclin.55.3.164.           • Wright AA, Zhang B, Ray A, et al. Associations between end-of-life discussions, patient mental health, medical care near death, and caregiver breavement adjustment. JAMA. 2008;300(14):1665-1673. doi:10.1001/jama.300.14.1665.           • Symons AB, Swanson A, McGuigan D, Orrange S, Akl EA. A tool for self-assessment of communication skills and professionalism in fellows. BMC Med Educ. 2009;9:1. doi:10.1186/1472-6920-9-1.           • American Academy of Hospice and Palliative Medicine. Hospice and Palliative Medicine Competencies Project. http://aahpm.org/fellowships/competencies#completencies-toolkit. Accessed 2019.           • Lane JL, Gottlieb RP. Structured clinical observations: a method to teach clinical skills with limited time and financial resources. Pediatrics. 2000;105((		Standardized patients
<ul> <li>Notes or Resources</li> <li>Back A, Arnold R, Tulsky J. Mastering Communication with Seriously III Patients. Cambridge: Cambridge University Press; 2009.</li> <li>Makoul G. The SEGUE Framework for teaching and assessing communication skills. Patient Education and Counseling. 2001;45(1):23-34. doi:10.1016/S0738-3991(01)00136-7.</li> <li>O'Sullivan P, Chao S, Russell M, Levine S, Fabiny A. Development and implementation of an objective structured clinical examination to provide formative feedback on communication and interpersonal skills in geriatric training. Journal of the American Geriatrics Society. 2008;56(9):1730-1735. doi:10.1111/j.1532-5415.2008.01860.x.</li> <li>Vital Talk, www.vitalatik.org. Accessed 2019.</li> <li>Back AL, Arnold RM, Baile WF, Tulskey JA, Fryer-Edwards K. Approaching difficult communication tasks in oncology. CA Cancer J Clin. 2005;55(3):164-177. doi:10.3322/canjclin.55.3.164.</li> <li>Wright AA, Zhang B, Ray A, et al. Associations between end-of-life discussions, patient mental health, medical care near death, and caregiver bereavement adjustment. JAMA. 2008;300(14):1665-1673. doi:10.1001/jama.300.14.1665.</li> <li>Symons AB, Swanson A, McGuigan D, Orrange S, Akl EA. A tool for self-assessment of communication skills and professionalism in fellows. BMC Med Educ. 2009;9:1. doi:10.1186/1472-6920-9-1.</li> <li>American Academy of Hospice and Palliative Medicine. Hospice and Palliative Medicine Competencies Project. <u>http://aahpm.org/fellowships/competencies-toolkit</u>. Accessed 2019.</li> <li>Lane JL, Gottlieb RP. Structured clinical observations: a method to teach clinical skills with limited time and financial resources. Pediatrics. 2000;105(4):973-977.</li> </ul>	Curriculum Mapping	•
<ul> <li><u>https://pediatrics.aappublications.org/content/pediatrics/105/Supplement_3/973.full.pdf</u>.</li> <li>Accessed 2019.</li> <li>Braddock CH, Edwards KA, Hasenberg NM, Laidley TL, Levinson W. Informed decision</li> </ul>	Curriculum Mapping Notes or Resources	<ul> <li>Back A, Arnold R, Tulsky J. <i>Mastering Communication with Seriously III Patients</i>. Cambridge: Cambridge University Press; 2009.</li> <li>Makoul G. The SEGUE Framework for teaching and assessing communication skills. <i>Patient Education and Counseling</i>. 2001;45(1):23-34. doi:10.1016/S0738-3991(01)00136-7.</li> <li>O'Sullivan P, Chao S, Russell M, Levine S, Fabiny A. Development and implementation of an objective structured clinical examination to provide formative feedback on communication and interpersonal skills in geriatric training. <i>Journal of the American</i> <i>Geriatrics Society</i>. 2008;56(9):1730-1735. doi:10.1111/j.1532-5415.2008.01860.x.</li> <li>Vital Talk. www.vitaltalk.org. Accessed 2019.</li> <li>Back AL, Arnold RM, Baile WF, Tulskey JA, Fryer-Edwards K. Approaching difficult communication tasks in oncology. <i>CA Cancer J Clin</i>. 2005;55(3):164-177. doi:10.3322/canjclin.55.3.164.</li> <li>Wright AA, Zhang B, Ray A, et al. Associations between end-of-life discussions, patient mental health, medical care near death, and caregiver bereavement adjustment. <i>JAMA</i>. 2008;300(14):1665-1673. doi:10.1001/jama.300.14.1665.</li> <li>Symons AB, Swanson A, McGuigan D, Orrange S, Akl EA. A tool for self-assessment of communication skills and professionalism in fellows. <i>BMC Med Educ</i>. 2009;9:1. doi:10.1186/1472-6920-9-1.</li> <li>American Academy of Hospice and Palliative Medicine. Hospice and Palliative Medicine Competencies Project. <u>http://aahpm.org/fellowships/competencies#competencies-toolkit</u>. Accessed 2019.</li> <li>Lane JL, Gottlieb RP. Structured clinical observations: a method to teach clinical skills with limited time and financial resources. <i>Pediatrics</i>. 2000;105(4):973-977. https://pediatrics.aappublications.org/content/pediatrics/105/Supplement_3/973.full.pdf. Accessed 2019.</li> <li>Braddock CH, Edwards KA, Hasenberg NM, Laidley TL, Levinson W. Informed decision</li> </ul>
making in outpatient practice: time to get back to basics. JAMA. 1999;282(24):2313-2320. doi:10.1001/jama.282.24.2313.		making in outpatient practice: time to get back to basics. <i>JAMA</i> . 1999;282(24):2313-2320. doi:10.1001/jama.282.24.2313.

# Interpersonal and Communication Skills 2: Interprofessional and Team Communication

**Overall Intent:** To effectively communicate with the interdisciplinary team and other health care providers in straightforward and complex situations

Milestones	Examples
<b>Level 1</b> Uses respectful communication (verbal, non-verbal) with all members of the health care team	<ul> <li>Receives inpatient consult request and asks clarifying questions politely and with mutual respect</li> </ul>
Demonstrates openness to feedback	<ul> <li>Does not get defensive when approached with feedback</li> </ul>
Level 2 Communicates effectively within and	• Communicates concisely, clearly, and in an organized and timely manner how to proceed
across all health care teams	with the consult work-up
Responsive to feedback	Clearly modifies behavior in response to feedback
Level 3 Adapts communication style within and	<ul> <li>Speaks directly to the consulting team to verify understanding of the work-up of the</li> </ul>
across all health care teams to ensure mutual understanding	consult and discusses next steps in management
Seeks and provides performance feedback	<ul> <li>Seeks feedback from charge nurse in the infusion center</li> </ul>
	Provides constructive feedback to other team members about observed clinical skills
<b>Level 4</b> Coordinates recommendations from different members of the health care team to optimize patient care	<ul> <li>Coordinates recommendations from the interdisciplinary team for a patient with multiple complex comorbidities and socioeconomic challenges into a cohesive management plan</li> </ul>
Uses feedback to improve own performance and provides actionable feedback to team members	• Recognizes a conflict in the infusion center and with the charge nurse, identifies areas for fellows and nursing team improvement
Level 5 Role models flexible communication	Consistently leads communication at meetings with terminal patients and their families
strategies that solicits and values input from all health care team members, resolving conflict when needed	when the work-up for a patient with a serious illness would not improve quality of life or improve outcome
Role models giving and receiving of feedback	• Develops role play modules for resolving conflicts between team members
Assessment Models or Tools	Direct observation
	Multisource feedback
	Standardized patient encounters
Curriculum Mapping	
Curriculum Mapping	

Notes or Resources	<ul> <li>François, J. Tool to assess the quality of consultation and referral request letters in family medicine. <i>Can Fam Physician</i>. 2011;57(5):574–575.</li> <li>Consultant Evaluation of Faculty form in Dehon E, Simpson K, Fowler D, Jones A. Development of the faculty 360. MedEdPORTAL Publications. 2015;11:10174. <a href="http://doi.org/10.15766/mep_2374-8265.10174">http://doi.org/10.15766/mep_2374-8265.10174</a>.</li> <li>Youngwerth J, Twaddle M. Cultures of interdisciplinary teams: how to foster good dynamics. <i>J Palliat Med</i>. 2011;14(5):650-654.</li> <li>Moore AR, Bastian RG, Apenteng BA. Communication within hospice interdisciplinary teams: a narrative review. <i>Am J Hosp Palliat Care</i>. 2016;33(10):996-1012.</li> <li>Jain AK, Fennell ML, Chagpar AB, Connolly HK, Nembhard IM. Moving toward improved teamwork in cancer care: the role of psychological safety in team communication. <i>J Oncol</i> Display.</li> </ul>
	<i>Pract.</i> 2016 Nov;12(11):1000-1011. Epub 2016 Oct 24.

Interpersonal and Communication Skills 3: Communication within Health Care Systems	
Overall Intent: To effectively communicate in the medical record	
Milestones	Examples
<b>Level 1</b> Accurately records information in the patient record	<ul> <li>Includes the patient's diagnoses in documents, but the notes are unwieldy, long, and use copy-forward without reviewing</li> </ul>
Safeguards patient personal health information in communications	<ul> <li>Logs off computer when leaving clinical workstation</li> </ul>
<b>Level 2</b> Demonstrates organized diagnostic and medical reasoning through notes in the patient record	<ul> <li>Concisely documents recommendations for a patient but does not include patient preferences or comorbidities</li> </ul>
Appropriately selects forms of communication based on context	• E-mails about patient care using systems that protect personal health information
<b>Level 3</b> Documentation reflects level of complexity and severity of disease	<ul> <li>Concisely integrates comorbidities and disease severity into medical decision making</li> </ul>
Communication includes key stakeholders	<ul> <li>Ensures documentation is done in a place to which all key members of the team will have access</li> </ul>
<b>Level 4</b> Documentation reflects medical reasoning, patient preferences, and management recommendations and plans	<ul> <li>Consistently includes rationale for diagnostic and treatment recommendations and patient preferences in documentation</li> </ul>
Achieves written or verbal communication that is exemplary	<ul> <li>Provides focused clinical recommendations and notes that support appropriate billing and coding</li> </ul>
Level 5 Role models optimal documentation	<ul> <li>Creates a template for the management of specialty diseases and disseminates to colleagues</li> </ul>
Guides departmental or institutional communication policies	• Serves as house staff representative on the electronic medical record committee
Assessment Models or Tools	Direct observation
	Medical record (chart) audit
	Multisource feedback
Curriculum Mapping	

Notes or Resources	Weis JM, Levy PC. Copy, paste, and cloned notes in electronic health records: prevalence, benefits, risks, and best practice recommendations. <i>Chest</i> 2014 Mar:145(3):632-638, https://www.pcbi.plm.pib.gov/pubmed/24590024
	Nelson, DD. Copying and pasting patient treatment notes. <i>Virtual Mentor.</i> 2011;13(3):144- 147. doi: 10.1001/virtualmentor.2011.13.3.ccas1-1103. <u>https://journalofethics.ama-</u> assp.org/article/copying-and-pasting-patient-treatment-potes/2011-06
	<ul> <li>Mathioudakis A, Rousalova I, Gagnat AA, Saad N, Hardavella G. How to keep good clinical records. <i>Breathe (Sheff)</i>. 2016;12(4):369–373. doi:10.1183/20734735.018016 https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5297955/</li> </ul>
	• Kuhn T, Basch P, Barr M, Yackel T, for the Medical Informatics Committee of the American College of Physicians. Clinical Documentation in the 21st Century: executive summary of a policy position paper from the American College of Physicians. <i>Ann Intern Med</i> . 2015;162;301–303. doi: 10.7326/M14-2128
	https://annals.org/aim/fullarticle/2089368/clinical-documentation-21st-century-executive- summary-policy-position-paper-from
	<ul> <li>Thornton JD, Schold JD, Venkateshaiah L, Lander B. Prevalence of copied information by attendings and residents in critical care progress notes. <i>Crit Care Med.</i> 41(2013):382-8</li> <li><a href="https://www.ncbi.nlm.nih.gov/pubmed/23263617">https://www.ncbi.nlm.nih.gov/pubmed/23263617</a></li> </ul>

A delayed start date for the Hematology, Medical Oncology, and Hematology-Medical Oncology Milestones 2.0 to July 1, 2021 had an unintentional negative impact on some programs that had already begun working on changes to their assessment tools and the systems used for tracking. To avoid having to redo the work, a "map" between 1.0 and 2.0 has been created to use for the 2020-2021 academic year. For programs choosing to use the new Milestones, this "map" will assist in translating the scores from 2.0 back to the 1.0 version, which can then be entered into the Accreditation Data System (ADS). This is not an exact fit, but will provide enough information for completing the tasks.

The example below demonstrates one subcompetency from the Medical Oncology Milestones that is a straightforward match and one in which several of the 2.0 Milestones map to the 1.0 version. Each program can decide if and how to use this map. If using Milestones 2.0, the conversion to 1.0 can happen during or after the Clinical Competency Committee meeting. For those who have not yet begun to work on converting to Milestones 2.0, this map can aid in the change.

Milestones 1.0	Milestones 2.0
Patient Care 2: Develops and achieves comprehensive management plan for each	Patient Care 3: Formulates the Management Plan
patient	
Medical Knowledge 1: Possesses Clinical knowledge	Medical Knowledge1: Non-Malignant Hematology
0	Medical Knowledge 2: Solid Tumor Oncology

As a reminder, the ACGME Review Committee does not have access to programs' Milestone data (other than submission confirmation). More importantly, the Milestones are intended to be a formative assessment of a program's fellows. The ACGME understands that the 2020-2021 academic year will have many challenges and appreciates the work programs are undertaking to prepare their fellows to provide excellent patient care.

Milestones 1.0	Milestones 2.0
PC1: Gathers and synthesizes essential and accurate	PC1: Accesses Data Sources to Synthesize Patient and
Information to define each patient's clinical problem(s)	Disease Specific Information Necessary for Clinical Assessment
	PC2: Diagnoses and Assigns Stage and Severity of Hematology
	and Oncology Disorders
	PBL1: Evidence-Based and Informed Practice
PC2: Develops and achieves comprehensive	PC3: Formulates the Management Plan
management plan for each patient	
PC3: Manages patients with progressive responsibility and	PC4: Adjusts Management Plans for Acute and Chronic Issues
independence	
PC4a: Demonstrates skill in performing and interpreting	PC5: Competence in Procedures
invasive procedures	
PC4b: Demonstrates skill in performing and interpreting	PC2: Diagnoses and Assigns Stage and Severity of Hematology
non-invasive procedures and/or testing	and Uncology Disorders
PC5: Requests and provides consultative care	PROF2: Accountability/Conscientiousness
	ICS2: Interprofessional and Team Communication
MK4, Desegance Clinical Impuladas	MK4: Malianant Hamatalagy
	MK2: Solid Tumor Opcology
MK2: Knowledge of diagnostic testing and procedures	PC2: Diagnoses and Assigns Stage and Severity of Hematology
initz. Nilowiedge of diagnostic testing and procedures	and Oncology Disorders
MK3: Scholarship	MK3: Scholarly Activity
SBP1: Works effectively within an interprofessional team	ICS2: Interprofessional and Team Communication
SBP2: Recognizes system error and advocates for system	SBP1: Patient Safety
improvement	SBP2: Quality Improvement
SBP3: Identifies forces that impact the cost of health care,	SBP4: System Navigation for Patient-Centered Care: Population
and advocates for and practices cost-effective care	Health
	SBP5: Physician Role in Health Care Systems
SBP4: Transitions patients effectively within and across	SBP3: System Navigation for Patient-Centered Care:
health delivery systems	Coordination and Transitions of Care
	SBP4: System Navigation for Patient-Centered Care: Population
	Health
PBLI1: Monitors practice with a goal for improvement	PBLI2: Reflective Practice and Commitment to Personal Growth
PBLI2: Learns and improves via performance audit	PBLI2: Reflective Practice and Commitment to Personal Growth
PBLI3: Learns and improves via feedback	PBLI2: Reflective Practice and Commitment to Personal Growth
PBLI4: Learns and improves at the point of care	PBLI1: Evidence-Based and Informed Practice

PROF1: Has professional and respectful interactions with	PROF1: Professional Behavior and Ethical Principles
patients, caregivers, and members of the interprofessional	PROF3: Fellow Well-Being
team	ICS1: Patient and Family-Centered Communication
	ICS2: Interprofessional and Team Communication
PROF2: Accepts responsibility and follows through on	PROF2: Accountability/ Conscientiousness
tasks	
PROF3: Responds to each patient's unique characteristics	ICS1: Patient and Family-Centered Communication
and needs	
PROF4: Exhibits integrity and ethical behavior in	PROF1: Professional Behavior and Ethical Principles
professional conduct	
ICS1: Communicates effectively with patients and	ICS1: Patient and Family-Centered Communication
caregivers	
ICS2: Communicates effectively in interprofessional teams	ICS2: Interprofessional and Team Communication
ICS3: Appropriate utilization and completion of health	ICS3: Communication within Health Care Systems
records	